
Moser 756 Acres Matador, TX



7673 Canyon Drive, Amarillo, TX 79110



The information contained herein was obtained from sources deemed to be reliable. MapRight Services makes no warranties or guarantees as to the completeness or accuracy thereof.

|D All Polygons 758.5 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|--|-------|-------|------|
| RW | Riverwash | 32.0 | 4.22 | - |
| Tf | Tivoli fine sand, dry, 5 to 30 percent slopes | 111.1 | 14.65 | 7e |
| FmE | Flomot fine sandy loam, 5 to 12 percent slopes | 17.2 | 2.27 | 6e |
| MeC | Miles loamy fine sand, 3 to 5 percent slopes | 51.9 | 6.85 | 4e |
| MfB | Miles fine sandy loam, 1 to 3 percent slopes | 84.2 | 11.1 | 3e |
| MoC | Mobeetie fine sandy loam, 3 to 5 percent slopes | 20.9 | 2.75 | 4e |
| MfC | Miles fine sandy loam, 3 to 5 percent slopes | 65.1 | 8.58 | 3e |
| MeB | Miles loamy fine sand, 0 to 3 percent slopes | 91.3 | 12.04 | 3e |
| FmC | Flomot fine sandy loam, 3 to 5 percent slopes | 16.0 | 2.11 | 4e |
| Lo | Lincoln soils, frequently flooded | | 2.56 | 5w |
| MtA | Motley loam, 0 to 1 percent slopes | | 0.41 | 2c |
| NoE | Nobscot soils, 3 to 12 percent slopes | | 7.07 | 4e |
| Ln | Lincoln soils | | 4.76 | 3s |
| DoD | Devol loamy fine sand, 3 to 8 percent slopes | 75.4 | 9.94 | 4e |
| GP | Pits, gravel | | 2.42 | - |
| SpB | Springer loamy fine sand, 0 to 3 percent slopes | | 7.44 | 3e |
| MoE | Mobeetie fine sandy loam, 5 to 12 percent slopes | 6.4 | 0.84 | 6e |
| TOTALS | | 758.5 | 100% | 3.81 |

|D Boundary 747.2 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|---|-------|-------|-----|
| RW | Riverwash | 32.0 | 4.28 | - |
| Tf | Tivoli fine sand, dry, 5 to 30 percent slopes | 111.1 | 14.87 | 7e |
| FmE | Flomot fine sandy loam, 5 to 12 percent slopes | 17.2 | 2.3 | 6e |
| MeC | Miles loamy fine sand, 3 to 5 percent slopes | 51.9 | 6.95 | 4e |
| MfB | Miles fine sandy loam, 1 to 3 percent slopes | 84.2 | 11.27 | 3e |
| MoC | Mobeetie fine sandy loam, 3 to 5 percent slopes | | 2.75 | 4e |
| MfC | Miles fine sandy loam, 3 to 5 percent slopes | | 8.09 | 3e |
| MeB | Miles loamy fine sand, 0 to 3 percent slopes | | 12.22 | 3e |
| FmC | Flomot fine sandy loam, 3 to 5 percent slopes | 16.0 | 2.14 | 4e |
| Lo | Lincoln soils, frequently flooded | | 2.6 | 5w |
| MtA | Motley loam, 0 to 1 percent slopes | 3.1 | 0.42 | 2c |
| NoE | Nobscot soils, 3 to 12 percent slopes | 53.6 | 7.17 | 4e |

| Ln | Lincoln soils | 36.1 | 4.83 | 3s |
|--------|---|-------|-------|-----|
| DoD | Devol loamy fine sand, 3 to 8 percent slopes | 75.4 | 10.09 | 4e |
| GP | Pits, gravel | 18.4 | 2.46 | - |
| SpB | Springer loamy fine sand, 0 to 3 percent slopes | 56.4 | 7.55 | 3e |
| TOTALS | | 747.2 | 100% | 3.8 |

|D Boundary 11.3 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CAP |
|-----------|--|-------|-------|------|
| MoE | Mobeetie fine sandy loam, 5 to 12 percent slopes | 6.4 | 56.64 | 6e |
| MoC | Mobeetie fine sandy loam, 3 to 5 percent slopes | 0.3 | 2.6 | 4e |
| MfC | Miles fine sandy loam, 3 to 5 percent slopes | 4.6 | 40.76 | 3e |
| TOTALS | | 11.3 | 100% | 4.73 |

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
|---|---|---|---|---|---|---|---|---|
| ٠ | ٠ | • | • | ٠ | • | • | ٠ | |
| ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | | |
| ٠ | ٠ | • | ٠ | ٠ | • | • | | |
| ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | | | |
| ٠ | ٠ | ٠ | ٠ | ٠ | | | | |
| ٠ | ٠ | ٠ | ٠ | | | | | |
| ٠ | ٠ | ٠ | | | | | | |
| ٠ | ٠ | | | | | | | |
| ٠ | | | | | | | | |
| | • | | • •< | • •< | | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |

Grazing Cultivation

- (c) climatic limitations (e) susceptibility to erosion
- (s) soil limitations within the rooting zone (w) excess of water